



## eTechnician<sup>™</sup>21

COMPREHENSIVE COVERAGE BI-DIRECTIONAL SUPPORT CLOUD-BASED VEHICLE HISTORY

Move to the next level

	L.	DISCONNECTED			=
Hor			lepairConnect OEM		-
Sca	n History	- 2018 Isuzu JALC4W163J7008334 Filtered by. All reports	_		
Date		Components	Papardine Course		545.Wi-5
	2/20/2020 12:16 PM	4 Components	Recording Coun	t Notes Count	Delete
	-	Transmission - ISO15765, DEF / Aftertreatment - ISO15765, ABS - KW2000, Mimamori - KW2000 5 Components	2 Recordings	4 Notes	Delete
	2:15PM	Engine - ISO15765, Transmission - ISO15765, DEF / Aftertreatment - ISO15765, ABS - KW2000, Mimamori - KW2000, Mimamori - ISO15765, ABS - KW2000, Mimamori -	1 Recordings	4 Notes	
10242 12:11P		5 Components Engine - ISO15765, Transmission - ISO15765, DEF / Aftertreatment - ISO15765, ABS - KW2000, Mimamori - ISO15765, ABS - KW2000, Mimamori -		Hotes	Delete
0	2019 5 AM	Components BS - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mirnamori - KW2000, Transmission - Components	3 Recordings	3 Notes	Delete
C 8/9	2019 5 AM AE	Components IS - KW2000, DEF / Aftertreatment, Logical - KW2000, Transmission -	2 Recordings	2 Notes	
C 892	019 5 C M ISO	Somponents IS - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - S - KW2000, DEF / Aftertreatment - ISO15765, Engine - S - KW2000, DEF / Aftertreatment - S - KW2000, DEF / S - KW2	2 Recordings	5 Notes	
		S - KW2000, DEF / Aftertreatment - ISO15765, Engine - ISO15765, Mimamori - KW2000, Transmission - 15765	1 Recordings	1 Notes	
			- 10-		

### eTechnician<sup>®</sup>21

# Real-time diagnostics at your fingertips

COMPREHENSIVE COVERAGE BI-DIRECTIONAL SUPPORT CLOUD-BASED VEHICLE HISTORY

eTechnician<sup>™</sup> 2.1 provides the data and the support required to stay competitive in today's trucking industry. Heavy-duty diagnostics on your PC was never this good—until now. We've combined extensive coverage for everything from commercial vehicles right down to light and medium-duty trucks. eTechnician 2.1 provides a powerful diagnostic capability for engines, transmission, brakes, body and chassis, and more. We've added a cloud-based, fleet- wide vehicle history report that provides user's the ability access to data for every diagnostic session for every vehicle in your fleet, regardless of location.



#### **BI-DIRECTIONAL SUPPORT**

da Back	VW SMSGAD4200HP3	0		
turnmary/	Live Data	Recor	ed (0 of 10) Carton Constant	International Prop
ia.tu	Ergine - 21938 - Chit			
	O C Regist		D- [[10:00 - Beer	1000
we Data	Concession Proving	1.00.00	W/T Puel report Titles.	Xinore .
and second	Automatic Tale	Dott Fyrar	eff free bland store base	20040
Calibrations	the loss will be a strong to	Multiplence	AFT tracks Maha	or
	And Considering Pressare Bellich	CH.	AFT Main CC	45
ests.	So (7) Eleverative, Ar Peterson	90.50 alta	So DOC HIMI Torgen durft	201-02
1000	Ziath Feda Fealer Sellin Ziath Feda Robert Sellin		DPFAIAAquiment Factor	0.000 spect
ul Report	Date Peter Protect Date	0.00.074	Or CONT Official Project	=36 eFe
un Hosport	In Children Press	Lotata.	Driv scale forgeretale	300 🔍
	> \$28 Years Planter Committee	15	C DPT Long Dates	64
	C Topic Doort Level		de Diff Consing New	ination
	C C Drame Conset Tenser anyo	100 10	Drf tole Imperior	10.00
	to inspectore and interest	17 mm	Diff Segmenting Party Solutions	07
	Coloradore Mada	CARL	Data weighting and rest of the second	Casto
	Timpre Wom	SADATIOTEERS.	UDW Argunetities Statut	Service Bolton
	> Engine Or Heasure	10000	The second second	25.20 miles
	The Engine Da beirgerature		DRV local Lawel Disfus	Normal Volume
	to Ellingue Eperating from	Shore Stor.	un Estant line Tempelature California	100.10
	C Engre Rui Tare	5.76 W	Dr. Purge for homosed brains	These
			1	

#### COMPREHENSIVE COVERAGE

Diagnose virtually any commercial vehicle that comes into your shop, from Class 8 to light-duty diesels. For more information regarding coverage please visit www.NEXIQ.com

#### ENGINES

- Cummins<sup>®</sup>
- Detroit Diesel®
- DDEC II, III, IV, V
- DDEC 6, 10 , 13
- MBE
- Caterpillar®
  - CAT<sup>®</sup> Engines with ACERT<sup>™</sup> Technology
  - Caterpillar®
- Electronic Engines

  International<sup>®</sup>
- Navistar<sup>®</sup> MaxxForce<sup>®</sup>
- Hino<sup>®</sup>
- Volvo<sup>®</sup>/Mack<sup>®</sup>
- PACCAR®
- Light and Medium Truck (LMT)\*

\*See the back of this brochure for LMT vehicle coverage and a partial listing of special tests.

#### TRANSMISSIONS

• Allison®

#### BRAKES

- Bendix®
- Eaton®
- Wabash®
- Haldex®
- Meritor WABCO® (Air)
- Meritor WABCO<sup>®</sup> (Hydraulic)

#### **BI-DIRECTIONAL SUPPORT**

In addition, eTechnician<sup>™</sup> version 2.1 provides unprecedented bi-directional support, including changeable parameters and special tests. Included are special tests like:

- DPF Regen
- Injector Cutout
- Power Balance Test
- VGT Install and Calibrate
- High Pressure Fuel System Leak Test
- Fuel Injector Performance Test
- SCR Performance/System Test
- Aftertreatment Reset

And that's just a few of the thousands of tests that come standard with eTechnician<sup>™</sup>. The DPF Regen lets

you view the entire DPF system at a glance, or you can narrow your view to just the components that you need to see. And live values and temperatures are displayed so that you can see exactly what's happening at every stage of the regeneration process.

You can also configure eTechnician<sup>™</sup> with an optional subscription to the RepairConnect<sup>®</sup> diagnostic information system. You get access to a wide range of diagnostic information, including step-by-step test procedures, diagnostic procedures, component locators, wiring diagrams, and much more. Already have a subscription to RepairConnect? Not a problem; you can use your existing credentials to access Repair/Connect seamlessly within the eTechnician<sup>™</sup> environment.

#### MARKET LEADING - LIGHT & MEDIUM TRUCK (LMT) VEHICLE COVERAGE

eTechnician LMT provides support for a wide array of light and medium-duty trucks.

#### Navistar® CV Truck

- 6.6L Duramax—L5D (2019)
- Allison Transmission® (faults only)
- Body Control Module
- Chassis
- Glow Plug
- Instrument Cluster
- PTO

#### Workhorse™

- 3.9L (2004-2005)
- 4.3L (1999-2005)
- 4.8L (2004-2012)
- 5.0L (1999-2000)
- 5.7L (1999-2004)
- 6.0L (2003-2012)
- 6.5L Diesel (1999-2005)
- 6.5L Turbo Diesel (1999-2002)
- 6.6L Duramax (2005-2006)
- 7.4L (1999-2000)
- 8.1L (2001-2012)

#### Isuzu<sup>®</sup> Engines

#### • 6.0L (2005-2019)

- 5.2L (2005-2019)
- 3.0L (2011-2018)

- Isuzu<sup>®</sup> Brakes and Transmissions (2005-2019)
- NPR/NF3
- NQR/NRR
- FTR

#### Dodge<sup>®</sup>/RAM<sup>®</sup> Engines

- 6.7L Cummins® (2007-2019)\*
- 5.9L Cummins<sup>®</sup> (2006-2007)
- 5.7L HEMI (2006-2019)\*
- 6.4L HEMI (2014-2019)\* • 3.6L V-6 VVT (2006-2019)
- \*Tests not available for these models for years 2018-2019

#### Dodge<sup>®</sup>/RAM<sup>®</sup> Brakes, Transmissions, and Body Control Module (BCM)

• RAM® 1500-5500 (2006-2019)

#### **GM®** Engines

- NEW 3.0L (2019)
- 4.3L (2000 and 2014-2019)
- 4 81 (2011-2019)
- 5.2L Duramax<sup>®</sup> (2004–2009 and 2017–2019)

A complete list of supported tests and calibrations for the eTechnician LMT application is available for download at www.nexig.com/Document/Detail/156

NEXIC TECHNOLOGIE

For more information, please contact NEXIQ Technologies at 800-639-6774, or online at www.nexiq.com.

©2020-2021 IDSC Holdings LLC. All rights reserved. NEXIQ Technologies and eTechnician are trademarks of IDSC Holdings LLC. All other marks are trademarks or registered trademarks of the respective holders. Specifications subject to change without notice.

Disclaimer: Product specifications and data are subject to change without notice to improve functionality, reliability, design, or otherwise.

- 5.3L (2014-2019)
- 6.0L (1999-2019)
- NEW 6.2L (2017-2019)
- 6.6L Duramax® (2001-2019) • 7.8L Duramax<sup>®</sup> (2004-2009)
- 8.1L (2001-2009)

#### LMT DIAGNOSTIC TESTS: A PARTIAL LISTING

#### Ford Vehicles

- Engine Tests
- Power Balance Test
- KOEO Tests
- KOER Tests
- Relative Compression
- Injector Buzz Test
- Fuel Lift Pump Relay
- DPF Regen
- Transmission Tests
- ABS Tests

- **GM** Vehicles Engine Tests
- Injector Cutout
- DPF Tests
- DEF Tests
- Transmission Tests

#### • ABS Tests

- **ISUZU** Vehicles
- Engine Tests Transmission Tests

#### ABS Tests

Availability of tests and configurable parameters is dependent on both the vehicle concerned and the module loaded.

#### GM® Brakes and Transmissions (2001-2019)

- C1500-C7500
- K1500-K3500
- T4500-T7500 P Chassis
- W4 Chassis
- Workhorse

#### Ford<sup>®</sup> Engines

- NEW 3.2L PowerStroke (2015-2019)
- 3.5L (2011-2019)
- 3.7L (2011-2019)
- 4.2L (2000-2008)
- 4.6L (2000-2016)
- 5.0L (2011-2019)
- 5.4L (2000-2016)
- 6.0L PowerStroke (2003-2010)
- 6.2L (2010-2019)
- 6.4L PowerStroke (2008-2010)
- 6.7L PowerStroke (2011-2019)
- 6 8L (2000-2016)
- 7.3L PowerStroke (2000-2003)
- Ford<sup>®</sup> Brakes and Transmissions (2000-2019)
- E250-E450
- F250-F750

#### Dodge/RAM Vehicles

Engine Tests

• DEF

ABS Tests

- Cylinder Cutout
- Cummins Engine • DPF Test

VGT Calibration

• Transmission Tests

Program Injector Codes

Stationary De-soot (DPF Regen)